

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: HIGUERA-CIAPARA et al. Examiner: To Be Determined
Serial No. Not Yet Assigned Group Art Unit: To Be Determined
Filed: Herewith (22 February 2005) Docket No. 73294-010200
Title: **LOW-CHOLESTEROL SHRIMP AND METHOD OF OBTAINING
SAME**

CERTIFICATE UNDER 37 CFR 1.10

'Express Mail' mailing label number: EV310 126 587US

Date of Deposit: 22 February 2005

I hereby certify that this paper or fee is being deposited with the United States Postal Service 'Express Mail Post Office To Addressee' service under 37 CFR 1.10 and is addressed to Commissioner for Patents, Alexandria, VA 22313.

By: 

Marie M. Nuguid

PRELIMINARY AMENDMENT

MAIL STOP PCT (DO/EO/US)
Commissioner for Patents
Alexandria, Virginia 22313-1450

Sir:

INTRODUCTORY COMMENTS

Please cancel Claims 1 to 9 and replace with the following complete listing of claims.

10. (NEW) A process for obtaining a low-cholesterol whole shrimp comprising:

- a. to provide a plurality of frozen, peeled and deheaded shrimps;
- b. to freeze drying the whole shrimps to a humidity content of approximately 1 to 10%;

c. to extract the cholesterol from the dehydrated shrimps by means of a stream of a supercritical solvent which is selective to lipids, at a temperature between 36-39°C and at a pressure between 275-345 bar;

d. to rehydrate the shrimps in a vacuum chamber with water in a relationship of about 1-10mL per gram of shrimp at vacuum and room temperature; and

e. to cook said plurality of whole shrimp with steam.

11. (NEW) The process for obtaining low-cholesterol whole shrimp according to claim 1, characterized in that the shrimp is selected from U/10, U/12, U/15, 16/20, 21/25, 26/30, 31/35, 31/40, 36/40, 41/50, 51/60, 61/70, 71/80 and over 80, preferably size 16/20.

12. (NEW) The process for obtaining low-cholesterol whole shrimp according to claim 1, characterized in that the dehydration of shrimp is performed by a freeze drying process comprising:

a. To introduce the frozen shrimps into a quick freezing system at an initial temperature of -40°C;

b. To provide a vacuum of 0.1 mm Hg;

c. To set the following conditions

Temperature	Time
°C	hours
-29	1
0	1
50	4-5
35	15-20
25	1-3

13. (NEW) The process for obtaining low-cholesterol whole shrimp according to claim 3, characterized in that the time for the step at 50°C depends on the level of vacuum achieved, which should not exceed 0,2 mm Hg.

14. (NEW) The process for obtaining low-cholesterol whole shrimp according to claim 3, characterized in that the time for the step at 35°C depends on when the shrimp reach a maximum temperature of 5 to 10 °C.

15. (NEW) The process for obtaining low-cholesterol whole shrimp according to claim 3, characterized in that the time for the step at 25°C depends on when the internal shrimp temperature becomes the same as that on their surface.

16. (NEW) The process for obtaining low-cholesterol whole shrimp according to claim 1, characterized in that the shrimps are dehydrated to a humidity content between 1 to 5%.

17. (NEW) The process for obtaining low-cholesterol whole shrimp according to claim 1, characterized in that the supercritical solvent is CO₂ supercritical.

18. (NEW) The process for obtaining low-cholesterol whole shrimp according to claim 1, characterized in that supercritical solvent is CO₂ supercritical at 310 bar pressure and 37°C temperature.

19. (NEW) The process for obtaining low-cholesterol whole shrimp according to claim 1, characterized in that shrimps are rehydrated under a vacuum at least of 533,4 mm Hg by about 1-5 hours.

20. (NEW) The low-cholesterol whole shrimp obtained by the process of any of claims 1 to 10.